Author Index, Volume 32

A
Acharyya S, 517
Adams M, 11
Allison MA, 328
Alvarez J, 143
Anda RF, 389
Anderson C, 257
Anderson GK, 403
Anderson ML, 89
Atienza AA, 44
Averbach FM, 483

B
Babb S, 79
Baffi C, 44
Bailey LA, 32
Baker DW, 19
Baker SP, 256
Baker TB, 32
Bartie P, 375
Bauer DR, 86
Baughman AL, 177
Bauman AE, 290, 361
Baumrind N, 143
Beaudoin CE, 217
Berndt DJ, 116
Berwick M, 517
Bettridge J, 239
Bhattacharyya S, 151
Binns K, 403
Blackmore C, 340
Blakely T, 375
Bland AD, 86
Boer R, 298
Bolen J, 11
Bolton B, 1
Bonito AJ, 107
Bonomi AE, 89
Bopp M, 131
Borland R, 202
Bost JE, 194
Bremner JD, 389
Breslin FC, 151
Breslow L, 68
Briss PA, 244
Brodeur J-M, 224
Brown DW, 389
Brown K, 177
Brown WJ, 290
Brownstein JN, 435
Brug J, 163, 254
Burke B, 538
Burns ME, 139
Butterly L, 25

C
Calfas KJ, 124, 356
Callander M, 116
Card-Higginson P, 194
Carlson SA, 500
Carney P, 25
Carrell D, 89
Casagrande SS, 257
Cave MD, 239
Cella J, 124
Ceperich S, 1
Chacko KM, 59
Chen P-H, 525
Chertow DS, 340
Chowdhury FM, 435
Clair S, 395
Clarke J, 151
Clemens M, 459
Cohen DA, 298
Colditz GA, 490
Conroy MB, 483
Corso PS, 474
Cortese MM, 177, 186
Cowan LS, 239
Crabtree BF, 334, 525
Criqui MH, 328
Cruse KM, 340
Cubbin C, 97
Cummings KM, 202

D
D'Souza AL, 413
Dahlke MA, 538
Dannenberg AL, 86
Day D, 151
de Bruijn G-J, 163
Denenberg JO, 328
Diem LA, 239
Dietrich A, 25
Driezen P, 202
Droomers M, 163
Dubé C, 517
Dube SR, 389
Duke JC, 38
Dunn KH, 340

E
Eakin EG, 419
Edgerton EA, 244
Eicheldinger C, 107
Ertischek MD, 358
Evans B, 538
Evans WD, 44, 79

F
Fabsitz RR, 328
Farley TA, 217
Feinberg LE, 59
Feinberg M, 395
Felitti VJ, 389
Ferdinands JM, 340
Fernandez C, 217
Ferrante JM, 525
Fielding JE, 68, 244
Finkelhor D, 532
Finkelstein EA, 474
Fiore MC, 32, 139
Fisher JW, 116
Fishman P, 89
Flores GR, 68
Floyd RL, 1
Fong GT, 202
Foster C, 506
Frank LD, 273, 282
Friesen MC, 52
Fuemmeler BF, 44

G
Garland CF, 210
Garland FC, 210
Gary TL, 257
Gauvin L, 224
Gazmararian JA, 19
Gebel K, 361
Genevro JL, 244
Gethers O, 131
Giles WH, 389
Gillman MW, 305, 312
Gilman BH, 107
Giovannucci E, 210
Gipson LS, 116
Glanz K, 273, 282, 383
Glynn RJ, 490
Goldberg A, 408
Goldberg J, 383
Goldstein MG, 517
Goodpaster BH, 483
Goodrich M, 25
Gorham ED, 210
Grant WB, 210
Graubard BI, 264
Greenberg M, 395

H
Haddad MB, 239
Hammond D, 202
Hanewinkel R, 466
Hannan PJ, 147
Harduar-Morano L, 340
Heitzler CD, 38
Hillsdon M, 320, 506
Ho E, 328
Hobson SE, 86
Holick MF, 210
Holtgrave DR, 63
Horlick GA, 459
Horsley T, 435
Hoy K, 383
Huang P, 131
Hughes JR, 449
Huhman ME, 38

I
Ijaz K, 239
Induni M, 143
Ingersoll K, 1
Ingman DD, 239
Irvin E, 151

0749-3797/07/$–see front matter
© 2007 American Journal of Preventive Medicine • Published by Elsevier Inc.

J
Jack, Jr., L, 435
Jacobs RF, 194
Jacobson, RM, 544
Johnson BD, 483
Johnson DR, 340
Jones A, 506
Judkins DR, 38

K
Kant AK, 264
Kates J, 63
Kawachi I, 490
Keller PA, 32
Kimerling R, 143
Kimmons J, 354
Kleinman KP, 312
Koehoorn M, 52
Kohl III, HW, 500
Kopunek SP, 408
Koss KJ, 32
Kremers SPJ, 163, 254
Kretsinger K, 186
Kriska AM, 483
Kruger J, 500
Kuller LH, 483
Kumanyika SK, 264
Kwak L, 254

L
Laken M, 131
Langer RD, 328
Langland-Orban B, 116
Larson NI, 147
Lasater T, 517
Lavori PW, 370
Lawler SP, 419
Leard CA, 347
Lee GM, 186
Lee I-M, 490
Lett S, 186
Leverence RR, 334
Levy PS, 538
Lieu TA,
Lindley MC, 459
Lipkin M, 210
London J, 79
Loveland-Cherry CJ, 244
Lynch A, 239
Lyons M, 383

M
Macko RF, 408
Marcus BH, 356
Marion LN, 244
Martin RA, 517
Mâsse LC, 44
McCarthy WJ, 68
McClorin L, 131
McCombs SB, 239
McDonald NC, 509
McKenna J, 79
McNeill A, 202
Mercy JA, 474
Merom D, 290
Michael KM, 408
Mickalide AD, 87, 448
Millennium Cohort Study Team, 347
Miller T, 244
Miller TR, 474
Mitchell KJ, 532
Mohr SB, 210
Montero JT, 239
Moolenaar RL, 340
Moritsugu KP, 542
Mullen PD, 1
Murphy TV, 186

N
Nagaraja J, 1
Nahm E-S, 408
Nebeling L, 354
Nelson DE, 79
Nettleman M, 1
Neumark-Sztainer D, 147
Newman AB, 328
Newmark HL, 210
Norman GJ, 124
Norris SL, 435

O
Ockene JK, 244
Oemig TV, 239
Oken E, 305
Olenec C, 25
Ondersma SJ, 231, 549
Orchard TJ, 483
Ourso AC, 340
Overton A, 298
Owen N, 419

J
Panter J, 506
Parrott AW, 131
Patel PS, 340
Patrick K, 124, 173
Pavao J, 143
Pearce J, 375
Pederson LL, 79
Pereira MA, 312
Peterson KE, 312
Pettee KK, 483
Petticrew M, 361
Phongsavan P, 290
Pignone M, 403
Poland GA, 544
Popoola FA, 305
Potter LD, 38
Pracht E, 116
Primatesta P, 320
Project CHOICES Efficacy Study Group, 1

Q
Quick L, 538

R
Rakowski W, 517
Redmond C, 395
Reed RJ, 347
Reid RJ, 89
Resnick B, 408
Resnicow K, 383
Rich-Edwards JW, 305, 312
Ridgeway GK, 298
Rifas-Shiman SL, 312
Risica PM, 517
Rissel C, 290
Rivara FP, 89
Rohay JM, 358
Rose K, 86
Rosenberg MA, 139
Ryan KW, 194
Ryan MAK, 347

S
Saelens BE, 273, 282
Sallis JF, 68, 124, 273, 282
Salmon DA, 194
Sanchez A, 124
Sargent JD, 466
Satterfield D, 435
Schauer S, 186
Schulte JM, 340
Schuster CR, 231
Schwartz B, 538
Scutchfield FD, 173
Seymour J, 383
Seymour JD, 354
Shaughnessy M, 408
Shaw FE, 459
Shefer AM, 459
Shenson D, 11
Shiffman S, 358
Shin C, 395
Shoemaker TR, 538
Simon AE, 370
Simon TR, 474
Simpson P, 194
Skarpness B, 1
Smith B, 347
Smith BJ, 290
Smith GA, 413
Smith TC, 347
Sobell L, 1
Sobell M, 1
Spivock M, 224
Spoth R, 395
Srivastava P, 177
Stamatakis E, 320
Stewart H, 383
Story M, 147
Studnicki J, 116
Sugarman J, 370
Sundquist K, 97
Sussman A, 334
Svikis DS, 231
Sweeney CT, 358
Swinton R, 131

T
Taveras EM, 305
Teschke K, 52
Teutsch SM, 244
Thompson JW, 194
Thompson RS, 89
Tilson HH, 403
Tompa E, 151
Trifiletti LB, 413
Tyson S, 194

V
van Baak MA, 254
Van Kemenade C, 290
van Lenthe F, 163

Van Sickle D, 340
Vandelanotte C, 419
Velasquez MM, 1
von Sternberg K, 1

W
Wall JL, 217
Wang A, 151
Wang Y, 257
Wartenberg D, 525
Wei M, 210
Weinstock MA, 517
Weisman SM, 403
Wheeler JG, 194
Whitall J, 408
Wilcox S, 131
Williams RL, 334
Winkleby M, 97
Winkler CS, 239
Winters M, 52
Witten K, 375
Wolak J, 532
Wolf MS, 19
Wolin KY, 490
Wong FL, 38
Wortley PM, 538
Wu AW, 370

Y
Yancey AK, 68, 131, 253
Yaroch AL, 354
Yun L, 239

Z
Zhang X, 435
Zheng Y, 298

Subject Index, Volume 32

5-a-Day program for Better Health, 257

A
abuse, child, and use of drugs as adult, 389
ACE, adverse childhood experiences, 389
active living buoys, physical disabilities, 224
ADACEL, pertussis vaccination, 177
adolescent(s)
  behavior, physical activity and nutrition, 124
  fruit/vegetable consumption, 147
  German, exposure to smoking, 466
  substance use, 395
advertising, physical activity, children, 38
alcohol
  consumption and stroke, 408
  in pregnancy, 1
  individual and environmental solutions, Table, 73
anthrax vaccination, 347
Anthrax Vaccine Immunization Program (DoD), 347
arterial disease, peripheral, 328
aspirin use, in CVD, 403
auto crashes, individual and environmental solutions, Table, 73

B
behaviors
  lifestyle, unhealthy, 244
  risky, and health literacy, 19
benefit, work, smoking-cessation treatment, 139
bicycling
  to school, children, 509
  utilitarian, 52
binge drinking, in pregnancy, 1
bioterrorism threat, smallpox vaccination for, 538
birth defects, preventable, 1
block length and walking, 298
BOOSTRIX, pertussis vaccination, 177
budget, CDC, for HIV prevention, 63

C
cancer screening
  elders, 11
  women, 525
cancer
  breast and cervical, 525
  colorectal, and vitamin D, 210
  risk of, physical inactivity, 490
  skin, early detection, 517
carbon monoxide (CO) poisoning in hurricane season, 340
cardiovascular disease (CVD)
  and domestic physical activity, 320
  prevention of, 403
cardiovascular risk, stroke survivors, 408
Centers for Disease Control and Prevention (CDC) budget, HIV, 63
Check-It-Out project, skin examination, 517
child abuse, and use of drugs as adult, 389
childhood
  experiences, adverse (ACE), 389
  immunizations, philosophical exemptions, 194
children, physical activity levels, 509
chronic disease
  costs, 68
  lifestyle-related, 419
  prevention, 257
church members, physical activity among, 131
cigarette packages, text and graphic warnings, 202
clinical trials, participants, 370
colonoscopy, demand and capacity, 25
colorectal cancer
  and vitamin D, 210
  screening, 25
community health workers (CHWs), 435
  characteristics, roles, and training, 435
community nutrition environment, 282
community-based participatory research (CBPR), 131
community–university trial, PROSPER, 395
computer
  -based intervention, postpartum women, 231
  -tailored interventions, 419
consumer nutrition environment, 282
contraceptive use, ineffective, 1
coronary heart disease (CHD) and neighborhood deprivation, 97
cost
  healthcare, prescription drugs, 389
  healthcare, women with IPV, 89
  medical, violence-related, 474
counseling for obesity, primary care, 334
culturally relevant programs, CHWs, 435
CVD risk
  and HRT, 483
  physical inactivity, 490

D
death(s)
  and disability, leading causes, 97
  attributable to obesity, 217
  leading causes, U.S., 2000, Table, 245
  premature, violence-related, 474
delivery modalities, intervention, 419
deprivation, neighborhood, 375
  and CHD inequities, 97
diabetes
  and stroke, 408
  risk of, physical inactivity, 490
diet
  behaviors, adolescent, 124
  walking, and television, 305
dietary behavior change, 419
dietary goals, commentary, 354
dietary intake, 257, 264, 273
  patterns, adolescent, 147
  patterns, youth, 163
disability(-ies)
  and death, leading causes, 97
  cause, stroke, 408
  developmental, and alcohol, 1
  physical, active living buoys for, 224
  violence-related, 474
disease(s)
  chronic, costs, 68
  incidence, HIV, 63
  vaccine-preventable, control of, 194
domestic physical activity, 320
drinking in pregnancy, 1
drug use, illicit, parenting women, 231
drugs, prescription, healthcare cost, 389
dyslipidemia and stroke, 408

E
eating
  away from home, 273, 383
  healthy, 217
elder, preventive services, 11

elderly, medical expenditures, 107
employer
costs, smoking-cessation program, 139
interventions, obesity, 44
"ensure" laws, immunizations, 460
environment(s)
community nutrition, 282
consumer nutrition, 282
eating, 282
nutrition, restaurants, 273
physical, 361
obesogenic, 375
social, 282
ethics and prevention trials, 370
exemptions, philosophical, childhood vaccinations, 194
exercise facilities, equitable access to, 506
expenditures, Medicare, immunizations, 107

F

facilities, exercise, England, access to, 506
faith-based interventions, 131
fall injuries, 413
fast-food
access to, 375
and neighborhood, 375
restaurants, density, 273
Fetal Alcohol Spectrum Disorders, 1
fetal exposure to alcohol, 1
first responders, emergency, smallpox vaccination, 538
fitness facilities, perception of access to, 500
food choices, healthier, 383
Framework Convention on Tobacco Control (FCTC), 202
fruit and vegetable intake, 257
adolescent, 147
commentary, 354
funding, tobacco control, letter, 449

G

generators, carbon monoxide poisoning, 340
genotyping, tuberculosis, to increase control, 239
gestational weight gain, 305
guns/violence, individual and environmental solutions, Table, 73

H

health clubs, perception of access to, 500
health disparities, diet, 264
health exam and laboratory screening, 59
health literacy, 19
health marketing campaign, VERB, 38
health promotion
church members, 131
worksite, 86
health workers, community, 435
healthcare workers (HCWs)
and immunizations, 459
legislating vaccinations for, commentary, 544
smallpox vaccination, 538
Healthy Menu Study, 383
HIV incidence, 63
HIV prevention program, budget, 63
hormone replacement therapy (HRT), 483
hospitalization rates, influenza/pneumonia, elderly, 107
housework as physical activity, 320
housing density and walking, 298
HRT and CVD risk, 483
human subjects, 370
hurricane season, Florida, CO poisoning, 340
hypertension
and stroke, 408
care of CHWs, 435

I

immunization
influenza, Medicare, 107
rates, childhood, exemptions, 194
requirements, state, HCWs, 459
inactivity as risk of chronic disease, 490
influenza and pneumonia, cause of death, 107
infrastructure, public health, physical activity, 68
injuries
economic burden, book review, 256
ladder-related, 413
violence-related, cost of, 474
work, youth, 151
injury and violence, book review, 87
Internet
activities, physical activity, 38
-delivered interventions, 419
use, youth at risk of sexual solicitation, 532
intervention(s)
community, 395
computer-based, drug use, 231
delivery modalities, 419
environmental, youth, 163
faith-based, 131
healthcare policy, obesity, 44
physical activity, children, 38
via telephone, 419
intimate partner violence (IPV), 89
IPV, costs and healthcare utilization, 89

L

ladder-related injuries, 413
commentary, 448
land use, mixed, and walking, 298
laws
"ensure," immunizations, 460
"offer," immunizations, 460
immunization, by population, facility, state, Table, 461
state
for vaccination of HCWs, commentary, 544
immunization requirements, 459
vaccinations of children, 194
literacy, health, 19
and health risk behaviors, 19

M

Medicare, influenza immunization, 107
medications, psychotropic, adults, 389
melanoma detection, 517
menopause, HRT, and CVD risk, 483
mentors, 253
menus, restaurant, 383
Millennium Cohort Study, anthrax vaccination, 347
mortality and deprived neighborhoods, 97
mortality rates
and local taxation, 116
influenza/pneumonia, elderly, 107
movies, youth exposure to smoking, 466

N

National Smallpox Vaccination Program, 538
neighborhood deprivation, 375
CHD incidence, 97
neighborhood design and walking, 298
NEMS-R study, 273
NEMS-S, 282
New Urbanism Smart Scorecard, 298
news stories/media, tracking tobacco national, 79
nicotine-replacement therapy, letter, 358
norms, societal, tobacco use, 79
North American Quitline Consortium, 33
Nurses' Health Study, 490
nutrition and physical activity, adolescent, 124
Nutrition Environment Measures Study, Restaurants (NEMS-R), 273
Nutrition Environment Measures Study, Stores, (NEMS-S), 282
nutrition environment, 282
restaurants, 273
nutrition
goals, American, commentary, 354
individual and environmental solutions, Table, 73

O

obesity, 248, 361
abdominal, postmenopausal, 483
adult, interventions, 44
and domestic physical activity, 320
and fast-food restaurants, 273
and overweight, 383
and stroke, 408
clinical preventive services, 249
community preventive services, 249
counseling in primary care, 334
deaths attributed to, 217
epidemic, 217, 375
rates, children, 509
risk of, physical inactivity, 490
women, and screening tests, 525
occupational injuries, ladder-related, 413
"offer" laws, immunizations, 460
online sexual solicitation, youth risk, 532

P

PAD (peripheral arterial disease)
ethnic-specific, 328
population studies, Table, 329
partnership, community-university, 395
patient or resident vaccination, 462
patients, immunization requirements, 459
pedometer, walking with, 290
peripheral arterial disease (PAD), 328

pertussis
adult, cost effectiveness of vaccination, 186
incidence, 180, 186
morbidity, 179
vaccination, adult, 177
pharmacotherapy smoking-cessation treatment benefit, 139
physical activity
adolescent, 124, 163
and environment, 361
and obesity, 217
behavior, perception of access to fitness facilities, 500
changes, 419
church members, 131
domestic, 320
in pregnancy, 312
inadequacy of current policy, 69
increasing, bicycling, 52
increasing, walking, 290
individual and environmental solutions, Table, 73
intervention, children, 38
leisure-time, patterns, 506
levels, children, 509
patterns, women, 490
promotion, population-based, 70
public health infrastructure, 68
physical environment, 361
physical inactivity, risks, 68
physicians, primary care, preventive screening, 59
pneumonia and influenza, cause of death, 107
poisoning, carbon monoxide, and hurricanes, 340
policy interventions, obesity, 44
policy, influence, tobacco use, 79
pollution reduction, bicycling, 52
population health, local taxation, 116
population-based physical activity promotion, 70
Postmenopausal Estrogen/Progestin Interventions trial, 483
postmenopausal risk, CVD and HRT, v
postpartum
physical activity, 312
weight reduction, 305
commentary, 356
pregnancy
alcohol-exposed, 1
physical activity during, 312
weight gain, 305
prenatal alcohol exposure, 1
prepregnancy physical activity, 312
prevention/preventive
health exams, 59
primary and secondary, CVD, 403
strategies, clinical and community, 244
trials and ethics, 370
primary care, obesity counseling in, 334
printed material as delivery modality, 419
productivity, lost, violence-related, 474
Project CHOICES Feasibility Study, 2
Project EAT, 147
Project Viva, 305
Project Viva, 312
PROSPER community-university trial, 395
public education, ladder-related injuries, commentary, 448
public health
infrastructure, physical activity, 68
policy, tobacco use, 79

Q

quitlines
cost of, 32
financing of, 32
organization of, 32

R

racial/ethnic differences, diet, 264
research, ethical implications for, 370
restaurant(s)
chains, 383
fast-food, density, 273
nutrition environment, 273
risk factors, CVD, and physical activity, 320

S

Safe Routes to School (SR2S) programs, 509
Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU), 509
school entry laws, immunization, 459
screening
cancer, colorectal, 25
laboratory at health exam, 59
secondhand smoking, Surgeon General's Report, 542
sedentariness, 361
sexual solicitation, youth Internet users, 532
skin self examination, thorough, 517
smallpox vaccination, HCWs, 538
smoking
and health, 79
and health, Surgeon General's Report, 542
cessation, quitlines, 32
cessation, use and employer costs, 139
risks of, warning labels, 202
youth exposure to, in movies, 466
stair use, promotion of, letter, 254
Step-by-Step trial, 290
street networks and walking, 298
stroke survivors, cardiovascular risk, 408
stroke, dietary risk, 264
substance abuse, adolescent, 395
suicide, medical cost of, 474
Surgeon General's Report on smoking and health, 542
surveillance system, national, tobacco news stories, 79

T

taxation, local, healthcare, and mortality, 116
taxes, healthcare, 116
Tdap
adult pertussis, 186
vaccination, adult, 177
telephone, used for interventions, 419
television
viewing, adolescent, 124
walking, and diet, 305
teratogen, alcohol, 1
tobacco
individual and environmental solutions, Table, 73
marketing, youth, German, 466
prevention/control activities, 79
quitlines, 32
smoke, involuntary exposure, 542
use, cause of death, 202
tobacco control, 247
funding, letter, 449
clinical preventive services, 247
community preventive services 248
tobacco news coverage
media outlets, Table, 81
tracking national, 79
transportation
active, to school, 509
urban, bicycle, 52
treaty, international, tobacco control, 202
tuberculosis genotyping, to increase control, 239

U

university–community trial, PROSPER, 395
urban transportation, bicycle, 52
USDA guidelines for fruits/vegetables, 257
utilization and costs, healthcare, women with IPV, 89

V

vaccination(s)
anthrax, 347
HCWs, 460
legislating for HCWs, commentary, 544
mandatory, 459
patient or resident, 462
pertussis, adult, 177, 186
routine, elders, 11
vaccine, smallpox, HCW receipt, 538
vegetable and fruit intake, 257
VERB campaign, 38
violence
and injury, book review, 87
interpersonal, cost of, 474
intimate partner (IPV), 89
lost productivity, 474
medical costs of, 474
self-directed, 474
vitamin D and colorectal cancer, 210

W

walking
for activity, 361
neighborhood design, 298
television, and diet, 305
to school, children, 509
with pedometer, 290
warnings, health, cigarette packages, 202
weight reduction, postpartum, commentary, 365
wellness programs, perception of access to, 500
Woman on the Move through Activity and Nutrition (WOMAN) study, 483

women
and physical activity patterns, 490
cancer screening, 525
history of partner violence, 89
postpartum, drug use, 231
Women's Health Initiative, 210
work
benefit, smoking-cessation program, 139
injuries, economic costs, 151
injuries, non-agricultural, youth, 151
workers, healthcare
immunization laws, 459
legislating vaccinations for, commentary, 544
smallpox vaccination, 538
worksite health promotion, 86

Y

Youth Internet Safety Survey, 532
youth
diet and activity, 163
Internet use, risk for sexual solicitation, 532
work injuries, non-agricultural, 151